

C. DIFFERENTIAL DIAGNOSIS OF PSYCHOTIC DISORDERS

NOTE: BOTH PRIMARY PSYCHOTIC SYMPTOMS AND PSYCHOTIC SYMPTOMS THAT ARE SUBSTANCE-INDUCED OR DUE TO A GENERAL MEDICAL CONDITION MAY BE PRESENT IN THE SAME INDIVIDUAL AT THE SAME TIME. THIS MAY REQUIRE MULTIPLE 'PASSES' THROUGH THE ALGORITHMS IN THIS MODULE.

IF: ALL DELUSIONS AND HALLUCINATIONS CODED "3" IN MODULE B. ARE DUE TO A SUBSTANCE OR A GENERAL MEDICAL CONDITION, GO TO *GMC/SUBSTANCE*, C. 19, AND THEN PROCEED WITH NEXT MODULE.

IF: THERE ARE NO ITEMS CODED "3" IN **B. PSYCHOTIC AND ASSOCIATED SYMPTOMS**, CHECK HERE ___ AND SKIP TO NEXT MODULE.


C1

IF A MAJOR DEPRESSIVE OR MANIC EPISODE HAS EVER BEEN PRESENT: Has there ever been a time when you had (PSYCHOTIC SXS) and you were not (DEPRESSED/MANIC)?

Psychotic symptoms occur at times other than during Major Depressive, Manic, or Mixed Episodes.

NOTE: CODE "3" IF NO MAJOR DEPRESSIVE, MANIC, OR MIXED EPISODES OR IF SOME PSYCHOTIC SYMPTOMS OCCUR OUTSIDE OF MOOD EPISODES OR IF PSYCHOTIC SXS OCCUR ONLY DURING MAJOR DEPRESSIVE EPISODES THAT LACK A (1) DEPRESSED MOOD.

CODE "1" IF PSYCHOTIC SXS OCCUR ONLY DURING MANIC, MIXED, OR MAJOR DEPRESSIVE EPISODES (WITH A [1] DEPRESSED MOOD).



C2

SCHIZOPHRENIA CRITERIA

CHECK FOR PRESENCE OF ACTIVE PHASE SYMPTOMS.

[NOTE: CRITERIA ARE IN DIFFERENT ORDER THAN IN DSM-IV-TR.]

REFER TO ITEMS CODED "3" IN THE PSYCHOTIC AND ASSOCIATED SYMPTOMS MODULE (MODULE B).

A. Two (or more) of the following, each present for a significant portion of time during a 1-month period (or less if successfully treated):

?

1

3

C3

- (1) delusions
- (2) hallucinations
- (3) disorganized speech (e.g., frequent derailment or incoherence)
- (4) grossly disorganized or catatonic behavior
- (5) negative symptoms, i.e., affective flattening, alogia or avolition

GO TO *PSYCHOTIC DISORDER NOS,* C. 23

GO TO *DELUSIONAL DISORDER,* C.15

[Note: only one A symptom is required if delusions are bizarre or hallucinations consist of a voice keeping up a running commentary on the person's behavior or thoughts, or two or more voices conversing with each other.]

NOTE: CONSIDER A RATING OF "1" IF DELUSIONS PLUS HALLUCINATIONS CONSIST ONLY OF NON-BIZARRE DELUSIONS PLUS TACTILE AND/OR OLFACTORY HALLUCINATIONS (WHICH IS CONSISTENT WITH A DIAGNOSIS OF DELUSIONAL DISORDER).

IF NOT KNOWN: Were you taking any drugs or medicines during this time?


IF NOT KNOWN: Were you physically ill at this time?

E. The disturbance is not due to the direct physiological effects of a substance (e.g., a drug of abuse, a medication) or to a general medical condition.

IF THERE IS ANY INDICATION THAT DELUSIONS OR HALLUCINATIONS MAY BE SECONDARY (I.E., A DIRECT PHYSIOLOGICAL CONSEQUENCE OF A GMC OR SUBSTANCE) GO TO ***GMC/SUBST*** C. 19, AND RETURN HERE TO MAKE A RATING OF "1" OR "3."

Etiological general medical conditions include: neurological conditions (e.g., neoplasms, cerebrovascular disease, Huntington's disease, epilepsy, auditory nerve injury, deafness, migraine, central nervous system infections); endocrine conditions (e.g., hyper- and hypothyroidism, hyper- and hypoparathyroidism, hypocortisolism); metabolic conditions (e.g., hypoxia, hypercarbia, hypoglycemia); fluid or electrolyte imbalances; hepatic or renal diseases; and autoimmune disorders with central nervous system involvement (e.g., systemic lupus erythematosus).

Etiological substances include: alcohol, amphetamine, cannabis, cocaine, hallucinogens, inhalants, opioids (meperidine), phencyclidine, sedatives, hypnotics, anxiolytics, and other or unknown substances.



SCHIZOPHRENIFORM DISORDER

SCHIZOPHRENIFORM DISORDER CRITERIA

SCHIZOPHRENIA HAS BEEN RULED OUT BECAUSE THE DURATION IS LESS THAN 6 MONTHS.

B. An episode of the disorder (including prodromal, active and residual phases) lasts at least 1 month but less than 6 months.

1 3

C14

GO TO *BRIEF PSYCHOTIC DISORDER* C. 17

IF NOT KNOWN: How long did (PSYCHOTIC SXS) last?

IF NOT KNOWN: Were you taking any drugs or medications during this time?

C. The disturbance is not due to the direct physiological effects of a substance (e.g., a drug of abuse, medication) or to a general medical condition.

? 1 3

C15

GO TO *PSYCHOTIC DISORDER NOS* C. 23

SCHIZOPHRENIFORM DISORDER

IF NOT KNOWN: Were you physically ill at this time?

IF THERE IS ANY INDICATION THAT THE DELUSIONS OR HALLUCINATIONS MAY BE SECONDARY (I.E., A DIRECT PHYSIOLOGICAL CONSEQUENCE OF A GMC OR SUBSTANCE, GO TO *GMC/SUBST* C. 19, AND RETURN HERE TO MAKE A RATING OF "1" OR "3."

IF OTHER PERIODS OF PSYCHOTIC SXS NOT DUE TO A SUBSTANCE OR GMC RETURN TO C.1: OTHERWISE GO TO CHRONOLOGY C. 24

REFER TO LIST OF GENERAL MEDICAL CONDITONS AND SUBSTANCES, C. 5

When the diagnosis is made without waiting for recovery, it should be qualified as "provisional."

2 3

C16

PROVIS- IONAL DX DEFIN- ITE DX

NOTE: CODE "2" IF THE EXPECTED RECOVERY HAS NOT YET OCCURRED. CODE "3" IF THERE HAS BEEN A FULL RECOVERY.

CONTINUE ON NEXT PAGE

SCHIZOAFFECTIVE DISORDER

SCHIZOAFFECTIVE DISORDER CRITERIA

SCHIZOPHRENIA AND SCHIZOPHRENIFORM DISORDER HAVE BEEN RULED OUT BECAUSE OF PROMINENT MOOD SYMPTOMS. CONSIDER A DIAGNOSIS OF SCHIZOAFFECTIVE DISORDER.

A. An uninterrupted period of illness during which, at some time, there is either a Major Depressive Episode (which must include A(1) depressed mood), a Manic or a Mixed episode concurrent with symptoms that meet Criterion A for Schizophrenia.

?	1	3	C22
GO TO TOP OF C. 4 IF MDE IS W/O DEPRESSED MOOD			

CODE "3" IF MANIC, MIXED, OR MAJOR DEPRESSIVE EPISODES WITH DEPRESSED MOOD ARE CONCURRENT WITH "A" SYMPTOMS OF SCHIZOPHRENIA. CODE "1" IF THE ONLY CONCURRENT MOOD EPISODES ARE MAJOR DEPRESSIVE EPISODES WITHOUT DEPRESSED MOOD (I.E., WITH LOSS OF INTEREST ONLY)

IF NOT ALREADY KNOWN: Have there been any times when you had (PSYCHOTIC SXS) when you were not (MANIC OR DEPRESSED)?

B. During the same period of illness, there have been delusions or hallucinations for at least 2 weeks in the absence of prominent mood symptoms.

?	1	3	C23
GO TO *PSYCHOTIC DISORDER NOS* C. 23		PSYCHOTIC MOOD DISORDER GO TO NEXT MODULE	

C. Symptoms that meet criteria for a mood episode are present for a substantial portion of the total duration of the active and residual periods of the illness.

?	1	3	C24
---	---	---	-----

IF NOT KNOWN: Were you taking any drugs or medicines during this time?

IF NOT KNOWN: Were you physically ill at this time?

D. The disturbance is not due to the direct physiological effects of a substance (e.g., a drug of abuse, medication) or to a general medical condition.




IF THERE IS ANY INDICATION THAT THE PSYCHOTIC OR MOOD SXS MAY BE SECONDARY (I.E., A DIRECT PHYSIOLOGICAL CONSEQUENCE OF A GMC OR SUBSTANCE, GO TO ***GMC / SUBSTANCE,*** C. 19, AND RETURN HERE TO MAKE A RATING OF "1" OR "3."

REFER TO LIST OF GENERAL MEDICAL CONDITONS AND SUBSTANCES ON PAGE C. 5.

SCHIZOAFFECTIVE DISORDER SUBTYPES

Bipolar Type: If the disturbance includes a Manic or Mixed Episode (or a Manic or Mixed Episode and Major Depressive Episodes)

Depressive Type: If the disturbance includes only Major Depressive Episodes.



C25

C26

DELUSIONAL DISORDER

DELUSIONAL DISORDER CRITERIA

IF: THERE HAVE NEVER BEEN ANY DELUSIONS, CHECK HERE ____ AND SKIP TO MIDDLE OF PAGE C.17, ***BRIEF PSYCHOTIC DISORDER.***

C26a

SCHIZOPHRENIA,
SCHIZOPHRENIFORM,
AND SCHIZOAFFECTIVE
DISORDERS HAVE BEEN
RULED OUT.

IF UNCLEAR: Has there ever
been a time when you have been
(DELUSIONAL) at the same time
that you were (depressed/high/
irritable/OWN WORDS)?

D. (1) There are no Major Depressive,
Manic or Mixed Episodes that have
occurred concurrently with delusions.

NOTE: CODE "3" IF THERE
HAVE NEVER BEEN ANY MAJOR
DEPRESSIVE, MANIC OR MIXED
EPISODES OR IF ALL MOOD
EPISODES OCCURRED AT
TIMES OTHER THAN DURING
DELUSIONAL PERIODS. CODE "1"
IF THERE HAS BEEN A PERIOD OF
OVERLAP WITH DELUSIONS.

? 1 3

GO TO
***PSY-
CHOTIC
DIS-
ORDER
NOS,***
C. 23

CONTINUE
ON NEXT
PAGE

C27

IF UNCLEAR: How much of the
time that you have had
(DELUSIONS) would you say you
have also been (depressed/high/
irritable/OWN WORDS)?

D. (2) The total duration of all mood
episodes occurring concurrently
with delusions has been brief
relative to the duration of the
delusional periods.

NOTE: CODE "1" IF SYMPTOMS
MEETING CRITERIA FOR A
MOOD EPISODE ARE
PRESENT FOR A SUBSTANTIAL
PORTION OF THE TOTAL DURATION
OF THE DISTURBANCE.

? 1 3

GO TO
***PSY-
CHOTIC
DIS-
ORDER
NOS,***
C. 23

CONTINUE
ON NEXT
PAGE

C28

IF UNCLEAR: Have you had
(DELUSIONS) only at times when
you were (depressed/high/OWN
WORDS)?

Psychotic symptoms occur exclusively
during Major Depressive, Manic, and
Mixed Episodes.

? 1 3

GO TO
***PSYCHOTIC
DISORDER
NOS,*** C. 23

PSYCHOTIC
MOOD
DISORDER

GO TO
***MOOD
DIS-
ORDERS,***
D. 1

C29

IF NOT KNOWN: Were you taking any drugs or medicines during this time?

IF NOT KNOWN: Were you physically ill at this time?

C. (2) The disturbance is not due to the direct physiological effects of a substance (drugs of abuse, medication) or to a general medical condition.

?	1	3	C36
GO TO *PSY-CHOTIC DIS-ORDER NOS* C. 23	DUE TO GMC/SUB IF OTHER PERIODS OF PSYCHOTIC SXS NOT DUE TO A SUBSTANCE OR GMC RETURN TO C. 1; OTHERWISE GO TO CHRONOLOGY C. 24		

IF ANY INDICATION THAT DELUSIONS OR HALLUCINATIONS ARE SECONDARY (I.E., A DIRECT PHYSIO-LOGICAL CONSEQUENCE OF GMC OR SUBST) GO TO ***GMC / SUBST,*** C. 19, AND RETURN HERE TO MAKE A RATING OF "1" OR "3."

REFER TO LIST ON PAGE C. 5

B. Duration of an episode of the disturbance is at least 1 day, but less than 1 month, with an eventual full return to premorbid level of functioning.

?	1	3	C37
GO TO *PSYCHOTIC DISORDER NOS* C. 23			

C. (1) Not better accounted for by a Mood Disorder (i.e., no full mood episode is present).

NOTE: CODE "3" IF NO MOOD EPISODES.

?	1	3	C38
GO TO *PSY-CHOTIC NOS* C. 23	GO TO NEXT MOD-ULE	BRIEF PSYCHOTIC DISORDER	

Symptoms occur shortly after and apparently in response to events that, singly or together, would be markedly stressful to almost anyone in similar circumstances in the person's culture.

?	1	3	C39
WITHOUT MARKED STRESSORS	WITH MARKED STRESSOR		

DESCRIBE STRESSOR:

NOTE: CHECK HERE IF ONSET WITHIN 4 WEEKS POSTPARTUM

GO TO *CHRONOLOGY* C. 24	C40
------------------------------------	-----

GMC/SUBSTANCE CAUSING PSYCHOTIC SYMPTOMS

PSYCHOTIC DISORDER DUE TO A GENERAL MEDICAL CONDITION

PSYCHOTIC DISORDER DUE TO A GENERAL MEDICAL CONDITION CRITERIA

IF SYMPTOMS NOT TEMPORALLY ASSOCIATED WITH A GENERAL MEDICAL CONDITION, CHECK HERE ___ AND GO TO ***SUBSTANCE-INDUCED PSYCHOTIC DISORDER,*** C. 21.

C40a

CODE BASED ON INFORMATION ALREADY OBTAINED

A. Prominent hallucinations or delusions

? 1 2 3

C41

GO TO
SUBSTANCE-INDUCED
C. 21

Do you think your (DELUSIONS/HALLUCINATIONS) were in any way related to your (COMORBID GENERAL MEDICAL CONDITION)?

B./C. There is evidence from the history, physical examination, or laboratory findings that the disturbance is the direct physiological consequence of a general medical condition and the disturbance is not better accounted for by another mental disorder.

? 1 2 3

C42

GO TO
SUBSTANCE-INDUCED
C. 21

IF YES: Tell me how.

(Did the (DELUSIONS / HALLUCINATIONS) start or get much worse only after [COMORBID GENERAL MEDICAL CONDITION] began?)

THE FOLLOWING FACTORS SHOULD BE CONSIDERED AND SUPPORT THE CONCLUSION THAT THE GMC IS ETIOLOGIC TO THE PSYCHOTIC SYMPTOMS:

IF YES AND GMC HAS RESOLVED: Did the (DELUSIONS/HALLUCINATIONS) get much better once the (COMORBID GENERAL MEDICAL CONDITION) got better?

1) THERE IS EVIDENCE FROM THE LITERATURE OF A WELL-ESTABLISHED ASSOCIATION BETWEEN THE GMC AND PSYCHOTIC SYMPTOMS.

2) THERE IS A CLOSE TEMPORAL RELATIONSHIP BETWEEN THE COURSE OF THE PSYCHOTIC SYMPTOMS AND THE COURSE OF THE GENERAL MEDICAL CONDITION.

3) THE PSYCHOTIC SYMPTOMS ARE CHARACTERIZED BY UNUSUAL PRESENTING FEATURES (E.G., LATE AGE AT ONSET).

4) THERE IS NO ALTERNATIVE EXPLANATION (PSYCHOTIC SYMPTOMS AS A PSYCHOLOGICAL REACTION TO THE GMC).

SUBSTANCE-INDUCED PSYCHOTIC DISORDER

SUBSTANCE-INDUCED PSYCHOTIC CRITERIA DISORDER

DISORDER BEING EVALUATED:	
Schizophrenia	C. 5
Schizophreniform	C. 11
Schizoaffective	C. 14
Delusional	C. 16
Brief Psychotic	C. 18

IF SYMPTOMS NOT TEMPORALLY ASSOCIATED WITH SUBSTANCE USE, CHECK HERE ___ AND RETURN TO DISORDER BEING EVALUATED (OR ELSE GO TO NEXT MODULE IF SKIPPED HERE FROM PAGE C.1 BECAUSE ALL PSYCHOTIC SYMPTOMS IN B WERE DUE TO SUBSTANCE OR GMC)

CODE BASED ON INFORMATION ALREADY OBTAINED.

A. Prominent hallucinations or delusions. Note: Do not include hallucinations if the person has insight that they are substance-induced.

? 1 2 3

C43

RETURN TO DISORDER BEING EVALUATED (OR NEXT MODULE IF SKIPPED HERE FROM C.1)

IF NOT KNOWN: When did the (DELUSIONS/ HALLUCINATIONS) begin? Were you already using (SUBSTANCE) or had you just stopped or cut down on its use?

B. There is evidence from the history, physical examination, or laboratory findings that either (1) the symptoms in A developed during, or within a month of, Substance Intoxication or Withdrawal, or (2) medication use is etiologically related to the disturbance.

? 1 2 3

C44

RETURN TO DISORDER BEING EVALUATED (OR NEXT MODULE IF SKIPPED HERE FROM C.1)

Do you think your (DELUSIONS/ HALLUCINATIONS) were in any way related to your (SUBSTANCE USE)?

C. The disturbance is not better accounted for by a Psychotic Disorder that is not substance-induced. Evidence that the symptoms are better accounted for by a Psychotic Disorder that is not substance-induced might include:

? 1 2 3

C45

RETURN TO DISORDER BEING EVALUATED (OR NEXT MODULE IF SKIPPED HERE FROM C.1)

IF YES: Tell me how.

ASK ANY OF THE FOLLOWING QUESTIONS AS NEEDED TO RULE OUT A NON-SUBSTANCE-INDUCED ETIOLOGY.

IF UNKNOWN: Which came first, the (SUBSTANCE USE) or the (PSYCHOTIC SXS)?

1) the psychotic symptoms precede the onset of the substance use (or medication use)

IF UNKNOWN: Have you had a period of time when you stopped using (SUBSTANCE)?

2) the psychotic symptoms persist for a substantial period of time (e.g., about a month) after the cessation of acute withdrawal or severe intoxication

IF YES: After you stopped using (SUBSTANCE) did the (DELUSION / HALLUCINATIONS) get better or were you still (DELUSIONAL/ HAVING HALLUCINATIONS)?

IF UNKNOWN: How much of (SUBSTANCE) were you taking when you began to have (DELUSIONS/HALLUCINATIONS)?

IF UNKNOWN: Have you had any other episodes of (DELUSIONS/ HALLUCINATIONS)?

IF YES: How many? (Were you taking (SUBSTANCES) at those times?)

3) the psychotic symptoms are substantially in excess of what would be expected given the type or amount of the substance used or the duration of use

4) there is evidence suggesting the existence of an independent non-substance-induced Psychotic Disorder (e.g., a history of recurrent non-substance-related psychotic episodes)

CRITERION A, B, AND C ARE MET.

