

Did this begin soon after someone close to you died?

E. Not better accounted for by bereavement, i.e., after the loss of a loved one, the symptoms persist for longer than 2 months or are characterized by marked functional impairment, morbid preoccupation with worthlessness, suicidal ideation, psychotic symptoms, or psychomotor retardation.

| | |
|--|---|
| 1 | 3 |
| SIMPLE BEREAVEMENT GO TO *PAST MAJOR DEPRESSIVE EPISODE* A. 12 | NOT SIMPLE BEREAVEMENT CONTINUE WITH NEXT ITEM |

A27

MAJOR DEPRESSIVE EPISODE CRITERIA A, C, D AND E ARE CODED "3."

| | |
|--|----------------------------------|
| 1 | 3 |
| GO TO *PAST MAJOR DEPRESSIVE EPISODE* A. 12 | CURRENT MAJOR DEPRESSIVE EPISODE |

A28

How many separate times in your life have you been (depressed/ OWN WORDS) nearly every day for at least 2 weeks and had several of the symptoms that you described, like (SXS OF WORST EPISODE)?

Total number of Major Depressive Episodes, including current (CODE 99 IF TOO NUMEROUS OR INDISTINCT TO COUNT.)

A29

NOTE: TO RECORD DETAILS OF PAST EPISODES, GO TO J. 9 (OPTIONAL).

| |
|--|
| IF ASSESSING CURRENT MDE SPECIFIERS, CONTINUE ON NEXT PAGE; IF NOT, GO TO *CURRENT MANIC EPISODE,* PAGE A. 18 |
|--|

(Did this begin soon after someone close to you died?)

E. The symptoms are not better accounted for by [Simple] Bereavement, i.e., after the loss of a loved one, the symptoms persist for longer than 2 months or are characterized by marked functional impairment, morbid preoccupation with worthlessness, suicidal ideation, psychotic symptoms or psychomotor retardation.

| | | |
|----------------------------|---|--|
| ? | 1 | 3 |
| SIMPLE BEREAVE- MENT | | AT LEAST ONE EPISODE NOT SIMPLE BEREAVE- MENT |

A78

IF UNKNOWN: Has there been any other time when you were (depressed /OWN WORDS) like this that did not occur after someone close to you died?

IF YES: GO TO *PAST MAJOR DEPRESSIVE EPISODE,* A. 12 AND CHECK WHETHER THERE HAS BEEN ANY OTHER MAJOR DEPRESSIVE EPISODE THAT WAS NOT BETTER ACCOUNTED FOR BY BEREAVEMENT. IF SO, ASK ABOUT THAT EPISODE.

IF NO: GO TO *CURRENT MANIC EPISODE,* A. 18.

CONTINUE BELOW

MAJOR DEPRESSIVE EPISODE CRITERIA A, C, D, AND E ARE CODED "3."

| | |
|---|---|
| 1 | 3 |
| GO TO *CURRENT MANIC EPISODE* A. 18 | PAST MAJOR DEPRES- SIVE EPISODE |

A79

How old were you when PAST MAJOR DEPRESSIVE EPISODE) started?

Age at onset of Past Major Depressive Episode coded above. _____

A80

How many separate times in your life have you been (depressed/OWN WORDS) nearly every day for at least 2 weeks and had several of the symptoms that you described like (SXS OF WORST EPISODE)?

Total number of Major Depressive Episodes (CODE 99 IF TOO NUMEROUS OR INDISTINCT TO COUNT). _____

A81

NOTE: TO RECORD DETAILS OF OTHER PAST EPISODES, GO TO J. 9 (OPTIONAL).

CURRENT MANIC EPISODE

MANIC EPISODE CRITERIA

IF THOROUGH OVERVIEW OF PRESENT ILLNESS PROVIDES NO BASIS FOR SUSPECTING A CURRENT MANIC, MIXED, OR HYPOMANIC EPISODE, CHECK HERE ____ AND GO TO ***PAST MANIC EPISODE,*** A. 28.

A82

In the last month has there been a period of time when you were feeling so good, "high," excited, or hyper that other people thought you were not your normal self or you were so hyper that you got into trouble?

▶IF YES: What was it like? (Did anyone say you were manic?) (Was that more than just feeling good?)

▶IF NO: In the last month, have you had a period of time when you were feeling irritable or angry every day for at least several days?

What was it like? (Did you find yourself often starting fights or arguments?)

A. A distinct period [lasting at least 4 days] of abnormally and persistently elevated, expansive, or irritable mood, ? 1 2 3

A83

Check if:

___ elevated, expansive mood
___ irritable mood

GO TO
***PAST
MANIC
EPISODE***
A. 28

A84
A85

How long did that last? (As long as 1 week?) (Did you have to go into a hospital?)

...lasting at least 1 week (or any duration if hospitalization is necessary). ? 1 2 3

A86

NOTE: IF ELEVATED MOOD LASTS LESS THAN 1 WEEK, CHECK WHETHER IRRITABLE MOOD LASTS AT LEAST 1 WEEK BEFORE SKIPPING TO A. 24.

GO TO
***CURRENT
HYPOMANIC
EPISODE***
A. 24

FOCUS ON THE WORST PERIOD IN THE PAST MONTH OF THE CURRENT EPISODE FOR THE FOLLOWING QUESTIONS.

B. During the period of mood disturbance, three (or more) of the following symptoms have persisted (four if the mood is only irritable) and have been present to a significant degree:

IF UNCLEAR: During (EPISODE), when were you the most (OWN WORDS FOR MANIA)?

During that time...

...how did you feel about yourself?

(1) inflated self-esteem or grandiosity

? 1 2 3

A87

(More self-confident than usual?)
(Any special powers or abilities?)

...did you need less sleep than usual? (How much sleep did you get?)

(2) decreased need for sleep (e.g., feels rested after only 3 hours of sleep)

? 1 2 3

A88

IF YES: Did you still feel rested?

...were you much more talkative than usual? (Did people have trouble stopping you or understanding you? Did people have trouble getting a word in edgewise?)

(3) more talkative than usual or pressure to keep talking

? 1 2 3

A89

...were your thoughts racing through your head? (What was that like?)

(4) flight of ideas or subjective experience that thoughts are racing

? 1 2 3

A90

...were you so easily distracted by things around you that you had trouble concentrating or staying on one track? (Give me an example of that.)

(5) distractibility (i.e., attention too easily drawn to unimportant or irrelevant external stimuli)

? 1 2 3

A91

...how did you spend your time? (Work, friends, hobbies?) (Were you especially productive or busy during that time?) (Were you so active that your friends or family were concerned about you?)

(6) increase in goal-directed activity (either socially, at work or school, or sexually) or psychomotor agitation

? 1 2 3

A92

IF NO INCREASED ACTIVITY:
Were you physically restless?
(How bad was it?)

Check if:
 increase in activity
 psychomotor agitation

A93
A94

SCID-I (for DSM-IV-TR) Current Manic (JAN 2007) Mood Episodes A. 22

How many separate times in your life were you (HIGH/OWN WORDS) and had [ACKNOWLEDGED MANIC SYMPTOMS] for at least a week (or were hospitalized)?

Number of Manic Episodes, including current (CODE 99 IF TOO INDISTINCT OR NUMEROUS TO COUNT)

A100

NOTE: TO RECORD DETAILS OF PAST EPISODES, GO TO J. 14 (OPTIONAL).

CURRENT MANIC EPISODE SPECIFIERS

WITH POSTPARTUM ONSET

WITH POSTPARTUM ONSET

IF UNKNOWN: When did (MANIC SYMPTOMS) start?

Onset of Episode within 4 weeks postpartum.

?

1

3

A101

WITH
POSTPARTUM
ONSET

WITH CATATONIC FEATURES

CATATONIC FEATURES CRITERIA

BY OBSERVATION OR HISTORY

The clinical picture is dominated by at least two of the following:

(1) motoric immobility as evidence by catalepsy (including waxy flexibility) or stupor

?

1

2

3

A102

DESCRIBE SPECIFIC BEHAVIOR:

(2) excessive motor activity (that is apparently purposeless and not influenced by external stimuli)

?

1

2

3

A103

DESCRIBE SPECIFIC BEHAVIOR:

?=inadequate information

1=absent or false

2=subthreshold

3=threshold or true

***CURRENT HYPOMANIC EPISODE* HYPOMANIC EPISODE CRITERIA**

IF CRITERIA ARE MET FOR A CURRENT MANIC EPISODE, CHECK HERE ___ AND GO TO THE NEXT MODULE.

A107a

(When you were [HIGH/IRRITABLE/OWN WORDS], did it last for at least 4 days?)

A. A distinct period of persistently elevated, expansive or irritable mood, lasting throughout at least 4 days, that is clearly different from the usual nondepressed mood.

? 1 2 3

A108

GO TO
*PAST
MANIC
EPISODE*
A. 28

Check if:

- ___ elevated, expansive mood
- ___ irritable mood

A109

A110

Have you had more than one time like that? (When were you the most [HIGH/IRRITABLE/OWN WORDS]?)

FOCUS ON THE MOST EXTREME PERIOD IN THE PAST MONTH OF THE CURRENT EPISODE FOR THE FOLLOWING QUESTIONS.

B. During the period of mood disturbance, three (or more) of the following symptoms have persisted (four if the mood is only irritable) and have been present to a significant degree:

(During this time . . .)

...how did you feel about yourself?

(1) inflated self-esteem or grandiosity

? 1 2 3

A111

(More self-confident than usual?)
(Any special powers or abilities?)

...did you need less sleep than usual? (How much sleep did you get?)

(2) decreased need for sleep (e.g., feels rested after only 3 hours of sleep)

? 1 2 3

A112

IF YES: Did you still feel rested?

...were you much more talkative than usual? (Did people have trouble stopping you or understanding you? Did people have trouble getting a word in edgewise?)

(3) more talkative than usual or pressure to keep talking

? 1 2 3

A113

...were your thoughts racing through you head? (What was that like?)

(4) flight of ideas or subjective experience that thoughts are racing

? 1 2 3

A114

...were you so easily distracted by things around you that you had trouble concentrating or staying on one track? (Give me an example of that.) (5) distractibility (i.e., attention too easily drawn to unimportant or irrelevant external stimuli) ? 1 2 3 A115

...how did you spend your time? (Work, friends, hobbies?) (Were you especially productive or busy during that time?) (Were you so active that your friends or family were concerned about you?) (6) increase in goal-directed activity (either socially, at work or school, or sexually) or psychomotor agitation ? 1 2 3 A116

IF NO INCREASED ACTIVITY: Were you physically restless? (How bad was it?) Check if:
 increase in activity A117
 psychomotor agitation A118

... did you do anything that could have caused trouble for you or your family? (Buying things you didn't need?) (Anything sexual that was unusual for you?) (Reckless driving?) (7) excessive involvement in pleasurable activities which have a high potential for painful consequences (e.g., engaging in unrestrained buying sprees, sexual indiscretions, or foolish business investments) ? 1 2 3 A119

AT LEAST THREE "B" SXs ARE CODED "3" (FOUR IF MOOD ONLY IRRITABLE). 1 3 A120

GO TO *PAST MANIC EPISODE* A. 28

CURRENT HYPOMANIC CRITERION C

IF NOT KNOWN: Was this very different from the way you usually are (when you're not depressed?) (How were you different? At work? With friends?) C. The episode is associated with an unequivocal change in functioning that is uncharacteristic of the person when not symptomatic. ? 1 2 3 A121

GO TO *PAST MANIC EPISODE* A. 28

PAST MANIC EPISODE

MANIC EPISODE CRITERIA

NOTE: IF CURRENTLY ELEVATED OR IRRITABLE MOOD BUT FULL CRITERIA ARE NOT MET FOR A MANIC EPISODE, SUBSTITUTE THE PHRASE "Has there ever been *another* time . . ." IN EACH OF THE SCREENING QUESTIONS BELOW.

Have you ever had a period of time when you were feeling so good, "high," excited, or hyper that other people thought you were not your normal self or you were so hyper that you got into trouble?

▶ IF YES: What was it like? (Did anyone say you were manic?) (Was that more than just feeling good?)

▶ IF NO: Have you ever had a period of time when you were feeling irritable or angry every day for at least several days?

What was it like? (Did you find yourself often starting fights or arguments?)

When was that?

What was it like?

How long did that last? (As long as 1 week?) (Did you need to go to the hospital?)

Have you had more than one time like that? (Which time was the most extreme?)

IF UNCLEAR: Have you had any times like that in the past year?

A. A distinct period [lasting at least 4 days] of abnormally and persistently elevated, expansive or irritable mood. . .

Check if:

- elevated, expansive mood
- irritable mood

? 1 2 3 A126

GO TO
*DYS-
THYMIC
DISOR-
DER*
A. 38

A127
A128

...lasting at least 1 week (or any duration if hospitalization is necessary).

NOTE: IF ELEVATED MOOD LASTS LESS THAN 1 WEEK, CHECK WHETHER IRRITABLE MOOD LASTS AT LEAST 1 WEEK BEFORE SKIPPING TO A. 24.

? 1 2 3 A129

GO TO *PAST
HYPOMANIC
EPISODE*
A. 33

NOTE: IF THERE IS EVIDENCE FOR MORE THAN ONE PAST EPISODE, SELECT THE "WORST" ONE FOR YOUR INQUIRY ABOUT PAST MANIC EPISODE. IF THERE WAS AN EPISODE IN THE PAST YEAR, ASK ABOUT THAT EPISODE EVEN IF IT WAS NOT THE WORST.

FOCUS ON THE WORST PERIOD OF THE EPISODE THAT YOU ARE INQUIRING ABOUT.

IF UNCLEAR: During (EPISODE), when were you the most (OWN WORDS FOR MANIA)?

During that time . . .

B. During the period of mood disturbance, three (or more) of the following symptoms have persisted (four if the mood is only irritable) and have been present to a significant degree:

| | | | | | | |
|--|--|----------|----------|----------|----------|----------------------|
| <p>...how did you feel about yourself? (More self-confident than usual?) (Any special powers or abilities?)</p> | <p>(1) inflated self-esteem or grandiosity</p> | <p>?</p> | <p>1</p> | <p>2</p> | <p>3</p> | <p>A130</p> |
| <p>...did you need less sleep than usual? (How much sleep did you get?) IF YES: Did you still feel rested?</p> | <p>(2) decreased need for sleep (e.g., feels rested after only 3 hours of sleep)</p> | <p>?</p> | <p>1</p> | <p>2</p> | <p>3</p> | <p>A131</p> |
| <p>...were you much more talkative than usual? (Did people have trouble stopping you or understanding you? Did people have trouble getting a word in edgewise?)</p> | <p>(3) more talkative than usual or pressure to keep talking</p> | <p>?</p> | <p>1</p> | <p>2</p> | <p>3</p> | <p>A132</p> |
| <p>...were your thoughts racing through your head? (What was that like?)</p> | <p>(4) flight of ideas or subjective experience that thoughts are racing</p> | <p>?</p> | <p>1</p> | <p>2</p> | <p>3</p> | <p>A133</p> |
| <p>...were you so easily distracted by things around you that you had trouble concentrating or staying on one track? (Give me an example of that.)</p> | <p>(5) distractibility (i.e., attention too easily drawn to unimportant or irrelevant external stimuli)</p> | <p>?</p> | <p>1</p> | <p>2</p> | <p>3</p> | <p>A134</p> |
| <p>...how did you spend your time? (Work, friends, hobbies?) (Were you especially productive or busy during that time?) (Were you so active that your friends or family were concerned about you?)</p> | <p>(6) increase in goal-directed activity (either socially, at work or school, or sexually) or psychomotor agitation</p> | <p>?</p> | <p>1</p> | <p>2</p> | <p>3</p> | <p>A135</p> |
| <p>IF NO INCREASED ACTIVITY: Were you physically restless? (How bad was it?)</p> | <p>Check if: ___ increase in activity ___ psychomotor agitation</p> | | | | | <p>A136 A137</p> |

MANIC EPISODE CRITERIA
A, B, D AND E ARE CODED "3"

1

3

A142

GO TO
***DYSTHYMIC
DISORDER***
A. 38

PAST
MANIC
EPISODE

How old were you when (PAST
MANIC EPISODE) started?

Age at onset of Past Manic Episode
coded above

A143

How many separate times in your life
were you (HIGH/OWN WORDS) and
had [ACKNOWLEDGED MANIC
SYMPTOMS] for a period of time (or
were hospitalized?

Number of Manic Episodes (CODE 99
IF TOO INDISTINCT OR NUMEROUS
TO COUNT)

A144

NOTE: TO RECORD DETAILS OF
OTHER PAST EPISODES, GO TO
J. 14 (OPTIONAL).

GO TO NEXT
MODULE

PAST HYPOMANIC EPISODE

HYPOMANIC EPISODE CRITERIA

(When you were [HIGH/IRRITABLE/ OWN WORDS], did it last for at least 4 days?)

A. A distinct period of sustained elevated, expansive, or irritable mood, lasting throughout at least 4 days, that is clearly different from the usual nondepressed mood.

? 1 2 3

A145

What was it like?

Check if:

- elevated, expansive mood
- irritable mood

GO TO
***DYS-
THYMIC
DIS-
ORDER***
A. 38

A146
A147

Have you had more than one time like that? (Which time was the most extreme?)

NOTE: IF THERE IS EVIDENCE FOR MORE THAN ONE PAST EPISODE, SELECT THE "WORST" ONE FOR YOUR INQUIRY ABOUT PAST HYPOMANIC EPISODE. IF THERE WAS AN EPISODE IN THE PAST YEAR, ASK ABOUT THAT EPISODE EVEN IF IT WAS NOT THE WORST.

IF UNCLEAR: Have you had any times like that in the past year?

FOCUS ON THE WORST PERIOD OF THE EPISODE THAT YOU ARE INQUIRING ABOUT.

B. During the period of mood disturbance, three (or more) of the following symptoms have persisted (four if the mood is only irritable) and have been present to a significant degree:

IF UNCLEAR: During (EPISODE), when were you the most (OWN WORDS FOR HYPOMANIA)?

During that time . . .

...how did you feel about yourself?

(1) inflated self-esteem or grandiosity

? 1 2 3

A148

(More self-confident than usual?)
(Any special powers or abilities?)

...did you need less sleep than usual? (How much sleep did you get?)

(2) decreased need for sleep (e.g., feels rested after only 3 hours of sleep)

? 1 2 3

A149

IF YES: Did you still feel rested?

...were you much more talkative than usual? (Did people have trouble stopping you or understanding you? Did people have trouble getting a word in edgewise?)

(3) more talkative than usual or pressure to keep talking

? 1 2 3

A150

...were thoughts racing through your head? (What was that like?)

(4) flight of ideas or subjective experience that thoughts are racing

? 1 2 3

A151

During that time...

...were you so easily distracted by things around you that you had trouble concentrating or staying on one track?

(5) distractibility (i.e., attention too easily drawn to unimportant or irrelevant external stimuli)

? 1 2 3

A152

... how did you spend your time? (Work, friends, hobbies?) (Were you especially productive or busy during that time?) (Were you so active that your friends or family were concerned about you?)

(6) increase in goal-directed activity (either socially, at work or school, or sexually) or psychomotor agitation

? 1 2 3

A153

IF NO INCREASED ACTIVITY:
Were you physically restless?
(How bad was it?)

Check if:
 increase in activity
 psychomotor agitation

... did you do anything that could have caused trouble for you or your family? (Buying things you didn't need?) (Anything sexual that was unusual for you?) (Reckless driving?)

(7) excessive involvement in pleasurable activities which have a high potential for painful consequences (e.g., engaging in unrestrained buying sprees, sexual indiscretions, or foolish business investments)

? 1 2 3

A154

NOTE: BECAUSE OF THE DIFFICULTY OF DISTINGUISHING NORMAL PERIODS OF GOOD MOOD FROM HYPOMANIA, REVIEW ALL ITEMS CODED "3" IN CRITERIA A AND B AND RECODE ANY EQUIVOCAL JUDGMENTS.

AT LEAST THREE "B" SXS ARE CODED "3" (FOUR IF MOOD ONLY IRRITABLE).

1

3

A155

IF NOT ALREADY ASKED: Has there been any other time when you were (high/irritable/OWN WORDS) and had even more of the symptoms that I just asked you about?

IF YES: RETURN TO *PAST HYPOMANIC EPISODE, * A. 33, AND INQUIRE ABOUT THAT EPISODE.

IF NO: GO TO *DYSTHYMIC DISORDER, * A. 38.

CONTINUE ON NEXT PAGE

HYPOMANIC EPISODE CRITERIA
A, B, C, D, E, AND F ARE CODED "3."

1

3

GO TO
***DYSTHYMIC
DISORDER***
A. 38

PAST
HYPO-
MANIC
EPI-
SODE

A160

How old were you when (PAST
HYPOMANIC EPISODE) started?

Age at onset of Past Hypomanic
Episode coded above.

A161

How many separate times in your
life were you (high/irritable/OWN
WORDS) and had
[ACKNOWLEDGED MANIC
SYMPTOMS] for a period of time?

Total number of Hypomanic Episodes
(CODE 99 IF TOO INDISTINCT OR
NUMEROUS TO COUNT).

A162

NOTE: TO RECORD DETAILS OF
PAST EPISODES, GO TO J. 18
(OPTIONAL).

GO TO NEXT
MODULE

Just before this began, were you physically ill?

IF YES: What did the doctor say?

Just before this began, were you using any medications?

IF YES: Any change in the amount you were using?

Just before this began, were you drinking or using any street drugs?

G. Not due to the direct physiological effects of a substance (e.g., a drug of abuse, medication) or to a general medical condition.

IF THERE IS ANY INDICATION THAT THE DEPRESSION MAY BE SECONDARY (I.E., A DIRECT PHYSIOLOGICAL CONSEQUENCE OF A GMC OR SUBSTANCE, GO TO *GMC/SUBSTANCE*, A. 43, AND RETURN HERE TO MAKE A RATING OF "1" OR "3."

Etiological general medical conditions include: degenerative neurological illnesses (e.g., Parkinson's disease, Huntington's disease, cerebrovascular disease, metabolic and endocrine conditions (e.g., B-12 deficiency, hypothyroidism, autoimmune conditions) (e.g., systemic lupus erythematosus), viral or other infections (e.g., hepatitis, mononucleosis, HIV), and certain cancers (e.g., carcinoma of the pancreas).





Etiological substances include: alcohol, amphetamine, cocaine, hallucinogens, inhalants, opioids, phencyclidine, sedatives, hypnotics, anxiolytics. Medications include antihypertensives, oral contraceptives, corticosteroids, anabolic steroids, anticancer agents, analgesics, anti-cholinergics, and cardiac medications.

IF UNCLEAR: How much do your depressed feelings interfere with your life?

H. The symptoms cause clinically significant distress or impairment in social, occupational, or other important areas of functioning.

DYSTHYMIC DISORDER CRITERIA A, B, C, D, E, F, G, AND H ARE CODED "3."

Indicate specifier:
1 – Early Onset: onset before age 21
2 – Late Onset: onset age 21 or older



A176

A177

A178

A179

(4) THERE ARE NO ALTERNATIVE EXPLANATIONS (E.G., MOOD SYMPTOMS AS A PSYCHOLOGICAL REACTION TO THE GMC).

IF UNCLEAR: How much did (MOOD SYMPTOMS) interfere with your life?

E. The symptoms cause clinically significant distress or impairment in social, occupational, or other important areas of functioning.

? 1 2 3

A191

GO TO *SUB-STANCE INDUCED* A. 45

NOTE: THE D CRITERION (DELIRIUM R/O) HAS BEEN OMITTED.

MOOD DISORDER DUE TO GMC CRITERIA A, B/C, AND E CODED "3."

1 3

A192

MOOD DISORDER DUE TO A GMC

CHECK HERE ___ IF CURRENT IN PAST MONTH

A192a

Indicate which type of symptom presentation predominates:
 1 - With Major Depressive-like episode
 2 - With Depressive Features (if predominant mood is depressed but the full criteria are not met for a Major depressive episode)
 3 - With Manic Features
 4 - With Mixed Features

A193

CONTINUE ON NEXT PAGE

IF UNKNOWN: How much of (SUBSTANCE) were you using when you began to have (MOOD SYMPTOMS)?

(3) the mood symptoms are substantially in excess of what would be expected given the type, duration or amount of the substance used

IF UNKNOWN: Have you had any other episodes of (MOOD SYMPTOMS)?

(4) there is evidence suggesting the existence of an independent non-substance-induced Mood Disorder (e.g., a history of recurrent Major Depressive Episodes)

IF YES: How many? Were you using (SUBSTANCES) at those times?

IF UNKNOWN: How much did (MOOD SYMPTOMS) interfere with your life?

E. The symptoms cause clinically significant distress or impairment in social, occupational, or other important areas of functioning.

? 1 2 3

RETURN TO EPISODE BEING EVALUATED

NOTE: THE D CRITERION (DELIRIUM R/O) HAS BEEN OMITTED.

SUBSTANCE-INDUCED MOOD DISORDER CRITERIA A, B, C, AND E ARE CODED "3."

1 3

