

**\*POSTTRAUMATIC STRESS DISORDER\***

Sometimes things happen to people that are extremely upsetting--things like being in a life threatening situation like a major disaster, very serious accident or fire; being physically assaulted or raped; seeing another person killed or dead, or badly hurt, or hearing about something horrible that has happened to someone you are close to. At any time during your life, have any of these kinds of things happened to you?

IF UNKNOWN: Have you ever been in an automobile accident?

IF UNKNOWN: Have you ever been the victim of a crime?

IF NO SUCH EVENTS, CHECK HERE \_\_\_ AND GO TO **\*GENERALIZED ANXIETY DISORDER,\***  
F. 31

F103

**LIST ONLY TRAUMATIC EXPERIENCES CORRESPONDING IN SEVERITY TO CRITERION A(1),**  
i.e., the person experienced, witnessed, or was confronted with an event or events that involved actual or threatened death or serious injury, or a threat to the physical integrity of self or others

Traumatic Events List

Brief Description	Date (Month/Yr)	Age
_____	____/____	____
F103a	F103b	F103c
_____	____/____	____
F103d	F103e	F103f
_____	____/____	____
F103g	F103h	F103i
_____	____/____	____
F103j	F103k	F103l
_____	____/____	____
F103m	F103n	F103o
_____	____/____	____
F103p	F103q	F103r
_____	____/____	____
F103s	F103t	F103u

IF ANY EVENTS LISTED: Sometimes traumatic experiences like (TRAUMAS LISTED ABOVE) keep coming back in nightmares, flashbacks, or thoughts that you can't get rid of. Has that ever happened to you?

IF NO: What about being very upset when you were in a situation that reminded you of one of these terrible things?

IF NO TO BOTH OF ABOVE, CHECK HERE \_\_\_ AND SKIP TO **\*GENERALIZED ANXIETY DISORDER,\*** F. 31.

F104

**POSTTRAUMATIC STRESS DISORDER  
CRITERIA**

FOR FOLLOWING QUESTIONS,  
FOCUS ON TRAUMATIC EVENT(S)  
MENTIONED IN SCREENING  
QUESTION ABOVE.

A. The person has been exposed to  
a traumatic event in which both of the  
following were present:

IF MORE THAN ONE TRAUMA IS  
REPORTED: Which of these do you  
think affected you the most?

(1) the person experienced,  
witnessed, or was confronted  
with an event or events that  
involved actual or threatened  
death or serious injury, or a  
threat to the physical integrity  
of self or others

? 1 2 3

GO TO  
\*GAD\*  
F. 31

F105

IF UNCLEAR: How did you react when  
(TRAUMA) happened? (Were you very  
afraid or did you feel helpless or  
horrified?)

(2) the person's response  
involved intense fear,  
helplessness or horror

? 1 2 3

GO TO  
\*GAD\*  
F. 31

F106

Now I'd like to ask a few questions  
about specific ways that it may have  
affected you.

B. The traumatic event is  
persistently reexperienced in one  
(or more) of the following ways:

For example...

...did you think about  
(TRAUMA) when you didn't  
want to or did thoughts about  
(TRAUMA) come to you suddenly  
when you didn't want them to?

(1) recurrent and intrusive  
distressing recollections of  
the event, including images,  
thoughts or perceptions

? 1 2 3

F107

...what about having dreams  
about (TRAUMA)?

(2) recurrent distressing dreams  
of the event

? 1 2 3

F108

...what about finding yourself  
acting or feeling as if you were  
back in the situation?

(3) acting or feeling as if the  
traumatic event were recurring  
(includes a sense of reliving the  
experience, illusions, hallucina-  
tions and dissociative flashback  
episodes, including those that  
occur on awakening or when  
intoxicated)

? 1 2 3

F109

...what about getting very upset  
when something reminded you of  
(TRAUMA)?

(4) intense psychological  
distress at exposure to internal  
or external cues that symbolize  
or resemble an aspect of the  
traumatic event

? 1 2 3

F110

SCID-I (for DSM-IV-TR)	Posttraumatic Stress (OCT 2008)	Anxiety Disorders			F. 28	
...did you notice a change in the way you think about or plan for the future? (Like you didn't think you would ever have a career, get married, or have children?)	(7) sense of a foreshortened future (e.g., does not expect to have a career, marriage, children, or a normal life span)	?	1	2	3	F119
			1		3	F120
	AT LEAST THREE "C" SXS ARE CODED "3."		<div style="border: 1px solid black; padding: 2px; display: inline-block;">           GO TO  <b>*GAD*</b>            F. 31         </div>			
Since (THE TRAUMA)...	D. Persistent symptoms of increased arousal (not present before the trauma) as indicated by two (or more) of the following:					
...have you had trouble sleeping? (What kind of trouble?)	(1) difficulty falling or staying asleep	?	1	2	3	F121
...have you been unusually irritable? What about outbursts of anger?	(2) irritability or outbursts of anger	?	1	2	3	F122
...have you had trouble concentrating?	(3) difficulty concentrating	?	1	2	3	F123
...have you been watchful or on guard even when there was no reason to be?	(4) hypervigilance	?	1	2	3	F124
...have you been jumpy or easily startled, like by sudden noises?	(5) exaggerated startle response	?	1	2	3	F125
	AT LEAST TWO "D" SXS ARE CODED "3."		1		3	F126
			<div style="border: 1px solid black; padding: 2px; display: inline-block;">           GO TO  <b>*GAD*</b>            F. 31         </div>			

?=inadequate information

1=absent or false

2=subthreshold

3=threshold or true